



Site:

Tested by:

Address:

CableIQ
Fluke Networks

Written notes:

Cable ID: RAYO DATA 01

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:51:53 PM	44.3 ft	V1.30.00	9181125



Cable ID: RAYO DATA 02

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:52:25 PM	46.0 ft	V1.30.00	9181125



Cable ID: RAYO DATA 03

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:52:41 PM	45.9 ft	V1.30.00	9181125



Cable ID: RAYO DATA 04

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:53:11 PM	56.4 ft	V1.30.00	9181125



Cable ID: RAYO DATA 05

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:53:34 PM	55.2 ft	V1.30.00	9181125



Cable ID: RAYO DATA 06

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:54:32 PM	68.9 ft	V1.30.00	9181125



Cable ID: RAYO DATA 07

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:55:10 PM	75.9 ft	V1.30.00	9181125





Site:

Tested by:

Address:

CableIQ
Fluke Networks

Written notes:

Cable ID: RAYO DATA 08

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:55:31 PM	90.6 ft	V1.30.00	9181125



Cable ID: RAYO DATA 09

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:55:58 PM	134 ft	V1.30.00	9181125



Cable ID: RAYO DATA 10

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:56:13 PM	122 ft	V1.30.00	9181125



Cable ID: RAYO DATA 11

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:56:46 PM	91.1 ft	V1.30.00	9181125



Cable ID: RAYO DATA 12

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:57:00 PM	87.5 ft	V1.30.00	9181125



Cable ID: RAYO DATA 13

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	12:57:38 PM	70.0 ft	V1.30.00	9181125



Cable ID: RAYO DATA 14

Written notes:

Qualified: ✓ 1000BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:05:40 PM	69.7 ft	V1.30.00	9181125





Site:

Tested by:

Address:

CableIQ
Fluke Networks

Written notes:

Cable ID: RAYO DATA 15

Written notes:

Qualified: ✓ 100BASE-T; 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:06:05 PM	70.1 ft	V1.30.00	9181125



Cable ID: RAYO DATA 16

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:07:30 PM	73.2 ft	V1.30.00	9181125



Cable ID: RAYO DATA 17

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:09:04 PM	70.6 ft	V1.30.00	9181125



Cable ID: RAYO DATA 18

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:09:19 PM	70.4 ft	V1.30.00	9181125




Cable ID: RAYO DATA 19

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:09:34 PM	70.4 ft	V1.30.00	9181125



Cable ID: RAYO DATA 20

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:09:49 PM	70.5 ft	V1.30.00	9181125



Cable ID: RAYO DATA 21

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:11:05 PM	77.8 ft	V1.30.00	9181125





Site:

Tested by:

Address:

CableIQ
Fluke Networks

Written notes:

Cable ID: RAYO DATA 22

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:11:20 PM	74.9 ft	V1.30.00	9181125



Cable ID: RAYO DATA 23

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:11:36 PM	75.0 ft	V1.30.00	9181125



Cable ID: RAYO DATA 24

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:11:52 PM	74.8 ft	V1.30.00	9181125



Cable ID: RAYO DATA 25

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:12:28 PM	74.2 ft	V1.30.00	9181125




Cable ID: RAYO DATA 26

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:13:30 PM	77.0 ft	V1.30.00	9181125




Cable ID: RAYO DATA 27

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:13:46 PM	74.6 ft	V1.30.00	9181125



Cable ID: RAYO DATA 28

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:14:04 PM	74.3 ft	V1.30.00	9181125





Site:

Tested by:

Address:

CableIQ
Fluke Networks

Written notes:

Cable ID: RAYO DATA 29

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:14:50 PM	78.7 ft	V1.30.00	9181125



Cable ID: RAYO DATA 30

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:15:07 PM	78.6 ft	V1.30.00	9181125



Cable ID: RAYO DATA 31

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:16:39 PM	81.6 ft	V1.30.00	9181125



Cable ID: RAYO DATA 32

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:17:05 PM	78.4 ft	V1.30.00	9181125




Cable ID: RAYO DATA 33

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:17:57 PM	78.9 ft	V1.30.00	9181125




Cable ID: RAYO DATA 34

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:18:12 PM	78.6 ft	V1.30.00	9181125



Cable ID: RAYO DATA 35

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:18:28 PM	78.7 ft	V1.30.00	9181125





Site:

Tested by:

Address:

CableIQ
Fluke Networks

Written notes:

Cable ID: RAYO DATA 36

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:19:26 PM	81.6 ft	V1.30.00	9181125



Cable ID: RAYO DATA 37

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:25:05 PM	84.6 ft	V1.30.00	9181125




Cable ID: RAYO DATA 38

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:26:10 PM	84.8 ft	V1.30.00	9181125




Cable ID: RAYO DATA 39

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:26:21 PM	84.9 ft	V1.30.00	9181125




Cable ID: RAYO DATA 40

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:26:30 PM	84.8 ft	V1.30.00	9181125




Cable ID: RAYO DATA 41

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:28:02 PM	87.5 ft	V1.30.00	9181125




Cable ID: RAYO DATA 42

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:28:24 PM	84.9 ft	V1.30.00	9181125





Site:

Tested by:

Address:

CableIQ
Fluke Networks

Written notes:

Cable ID: RAYO DATA 43

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:28:43 PM	84.9 ft	V1.30.00	9181125



Cable ID: RAYO DATA 44

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:28:52 PM	84.8 ft	V1.30.00	9181125



Cable ID: RAYO DATA 45

Written notes:

Qualified: ✓ 100BASE-TX; 10BASE-T; Voice Over IP; Wiremap Only; Telco

Date	Time	Length	Version	S/N
10/18/2013	1:29:50 PM	65.0 ft	V1.30.00	9181125

